

রেজিস্টার্ড নং ডি এ-১

বাংলাদেশ



গেজেট

অতিরিক্ত সংখ্যা
কর্তৃপক্ষ কর্তৃক প্রকাশিত

বুধবার, জুন ২১, ২০০৬

গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

যোগাযোগ মন্ত্রণালয়

প্রজ্ঞাপন

তারিখ, ৭ আষাঢ় ১৪১৩/২১ জুন ২০০৬

এস, আর, ও নং ১৫২-আইন/২০০৬।—Motor Vehicles Ordinance, 1983 (Ord. No. LV of 1983) এর section 50-তে প্রদত্ত ক্ষমতাবলে, সরকার Motor Vehicles Rules, 1984 এর নিম্নরূপ অধিকতর সংশোধন প্রস্তাব করিতেছে, যাহা উক্ত Ordinance এর section 173(1) এর বিধান মোতাবেক এতদ্বারা প্রাক-প্রকাশ করা হইল, যথা :—

প্রস্তাবিত সংশোধনী

উপরি-উক্ত Rules এর rules 59 এবং 60 এর পরিবর্তে নিম্নরূপ rules 59 ও 60 প্রতিস্থাপিত হইবে, যথা :—

“59. Assignment and exhibition of registration marks.—(1) The registration marks to be assigned to a motor vehicle under sub-section (3) of section 34 shall consist of the name of the district or area specified in the second column of the Sixth Schedule to the Ordinance and one of the Bengali letters specified against the class or classes of the vehicles in the second column of the Second Schedule to these Rules and numerals as per provisions of sub-rule (3).

(2) The registration marks shall be in Bengali letters and numerals and shall be exhibited without any ornamentation or design,—

(a) In the case of a transport vehicle, in white on a blue ground;

(৫৮০৫)

মূল্য : ৪.০০

- (b) In the case of a temporary registration under section 36 in white on a blue ground;
- (c) In the case of registration marks allocated to dealers in motor vehicles or assembler of manufacturer thereof, in white on a blue ground; and
- (d) In all other cases, in white on a green ground.

(3) The registration marks shall be in four parts and be written in two horizontal lines. The first line shall consist of two parts—the first part showing the name of the district or area as specified in the second column of the Sixth Schedule to the Ordinance and the second part separated by a hyphen and showing one of the Bengali letters specified in columns 3, 4, 5, 6 and 7 against the class or classes of vehicles mentioned in column 2 of the Second Schedule to the these Rules, and the second line shall consist of two parts—the first containing any of the two figures from 01 to 99 and the second part separated by a hyphen and containing any of the numbers from 0001 to 9999 in the respective series assigned to different classes of motor vehicles. The sub-series 01—10 shall be reserved for replacement of vehicles registered before the introduction of computerized registration systems by the Authority.

(4) The registration mark plate shall be a standard metallic plate upon which a standard retro reflective sheet be laminated in the manner that the surface of the plate will be a perfect smooth one to provide retro reflective effect. The registration mark shall be clearly and legibly exhibited on the retro reflective surface of the plate at front and rear facing direct to the front or rear, as the case may be, in the manner hereinafter specified. These plates shall not bear any other signs, letters, or ornamentation or designs.

(5) Notwithstanding anything contained in sub-rules (2) and (4), the Authority may introduce any other signs, letters, numerals, ornamentation or designs in the registration mark plates if it feels it necessary for the purpose of safety, security and/or monitoring of the same.

(6) In the case of buses and trucks, the registration marks shall be exhibited on a plate 15 inches long, 8.5 inches wide, the dimensions of the letters indicating the name of the district or area shall not be less than 3 inches high and 0.5 inch thick at any part, the letters or letters signifying the class of the vehicle and the numerals shall not be less than 3.5 inches high and $\frac{5}{8}$ inch thick at any part, and there shall be a space form the edge of

the plane surface of not less than 0.5 inch and a space between any two numerals and between any two letters of not less than $\frac{3}{8}$ inches. The hyphen between the letter and the numerals shall not be less than 1 inch.

(7) In the case of a motor cycle, a motor cab, rickshaw or an invalid carriage, the registration marks shall be exhibited on a retro reflective surface of a plate 7.75 inches long, 5 inches wide and the dimensions of all letters and numerals shall not be less than $1\frac{1}{2}$ inch high and $\frac{2}{8}$ inch thick in any part.

(8) The retro reflective surface referred to in sub-rule (4) shall not be inclined from the vertical by more 30 than degrees. The letters and numerals shall be exhibited in the manner specified in sub-rule (3).

(9) In the case of cars, jeeps, station-wagons, minibuses, pick-ups, human haulers etc. the registration marks shall be exhibited on a plate 14 inches long and 6 inches wide, the dimensions of the letters and numerals shall not be less than $2\frac{1}{2}$ inches high and 1 inch thick in any part and there shall be a space from the edge of the plane surface of not less than $1\frac{1}{2}$ and space between any two letters and between any two numerals shall not be less than $\frac{3}{8}$ inch. The hyphen between the letters and the numerals shall not less than $\frac{1}{4}$ inch.

(10) Notwithstanding anything contained in sub-rules (4), motor cycles and invalid carriages are exempted from exhibiting registration mark at the front.

(11) The registration mark as exhibited under sub-rule (4), at the rear of a transport vehicle, shall be fixed to the vehicle at such a height from the ground, but not exceeding six feet, as may be reasonably practicable having regard to the type of body of the vehicle.

(12) The first line of the registration mark as referred to in the preceding sub-rules may either be embossed or printed and the second line shall be embossed on a retro reflective surface of the plate as described in sub-rule 59 (4).

(13) The registration mark to be exhibited shall either be embossed or printed on a retro reflective surface of a plate as described in sub-rule (4) to (12) and not otherwise.

(14) The motor vehicles registered before the commencement of these rules shall be assigned new registration marks in accordance with these rules and the registration marks shall be corrected and exhibited accordingly.

60. Exhibition of registration mark of trailers.—(1) The registration mark of a trailer shall be exhibited on a retro reflective surface of a plate as stated in sub-rule (4) of rule 59 which shall be affixed to the left hand side of the trailer. The dimensions of the letters, figures, space and margin shall be not less than the dimensions prescribed in respect thereof in sub-rule (8) of rule 59.

(2) The registration mark of the drawing motor vehicle required by the Ordinance to be affixed to the rear of a trailer shall be in conformity with all the provisions of these Rules in relation to the registration mark affixed to the rear of a motor vehicle.”।

২। প্রস্তাবিত সংশোধনী বিষয়ে কাহারও কোন পরামর্শ/আপত্তি থাকিলে, এই প্রজ্ঞাপন সরকারী গেজেটে প্রকাশিত হইবার ১৫(পনের) দিনের মধ্যে নিম্নস্বাক্ষরকারীর নিকট পৌঁছাইলে সরকার উহা বিবেচনা করিবে।

রাষ্ট্রপতির আদেশক্রমে

মোঃ শফিকুল ইসলাম
সচিব।

মোঃ নূর-নবী (উপ-সচিব), উপ-নিয়ন্ত্রক, বাংলাদেশ সরকারী মুদ্রণালয়, ঢাকা কর্তৃক মুদ্রিত।

মোঃ আমিন জুবেরী আলম, উপ-নিয়ন্ত্রক, বাংলাদেশ ফরম ও প্রকাশনা অফিস,

তেজগাঁও, ঢাকা কর্তৃক প্রকাশিত।